

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017


ELEMENT MATERIALS TECHNOLOGY DALLAS – PLANO WEST
1701 E Plano Pkwy Suite 150
Plano, Texas 75074
Louie Bustillos Phone: 972 209 2566
Louie.Bustillos@element.com

MECHANICAL


Valid to: December 31, 2025

Certificate Number: 0214.24

In recognition of the successful completion of the A2LA



<u>Test Technology</u>	<u>Test Capabilities</u>	<u>Test Method(s):</u>
Package and Unpackaged Drop Testing		MIL-STD-810; GR-63-CORE; GR-487-CORE; IEC 60068-2-32Eb; GR-3108; GR-3178-CORE
Bounce/Loose Cargo		MIL-STD-810
Seismic ¹	Servo Hydraulic Sine & Random 15,000 force pounds (1 to 500) Hz	ANSI T1.329; GR-13-CORE; GR-49-CORE; GR-63-CORE; GR-487-CORE; GR-937-CORE; GR-3115-CORE; GR-3125-CORE; IEC 60068-2-57
Acceleration	Up to 40 g's	MIL-STD 810 C-G; RTCA/DO-160 C-G
Illumination		GR-63-CORE
Acoustic Noise ¹	(30 to 100) dBa	GR-63-CORE; GR-487-CORE
Temperature ¹	(-72 to +125) °C	AT&T-TP76200; IEC 60068-2-14 Nb; GR-13-CORE; GR-49-CORE; GR-63-CORE; GR-487-CORE; GR-937-CORE; GR-3115-CORE; GR-3125-CORE; GR-3028-CORE (Sections 5.2, O5-4); MIL-PRF 28800 F; MIL-STD 202 F; MIL-STD 202 G; MIL-STD 810 C-G; RTCA/DO-160 C-G; IEC 60068-2-1 Ab; IEC 60068-2-2 Bb; GR-3108-CORE
Temperature and Humidity ¹	@50°C 5% RH @30°C 95% RH	GR-13-CORE; GR-49-CORE; GR-63-CORE; GR-937-CORE; GR-3028-CORE; GR-3115-CORE; GR-3125-CORE; IEC 60068-2-30 Db; MIL-PRF 28800F; MIL-STD 202 F, G; MIL-STD 810 C-G; RTCA/DO160 C-G; IEC 60068-2-56; GR-3108-CORE
Temperature/Altitude ¹	Up to 50,000 ft. (-55 to +85) °C	GR-49-CORE; GR-63-CORE; GR-937-CORE; GR-3115- CORE; GR-3125-CORE; GR-3028-CORE; MIL-PRF 28800 F; MIL-STD 202 F; MIL-STD 202 G; MIL-STD 810 C-G; RTCA/DO160 C-G



Test Technology

Test Capabilities

Test Method(s):

Explosive Atmosphere ¹

Up to 20,000 ft.
(-22 to +85) °C

MIL-PRF 28800 F;
MIL-STD 202 F; MIL-STD 202 G;
MIL-STD 810 C-G; RTCA/DO-160 C-G


Decompression (Rapid
and Explosive) ¹


(6,000 to 55,000) ft.

MIL-STD 202 F; MIL-STD 202 G;
MIL-STD 810 C-G;
RTCA/DO-160 C-F

Fluid
Susceptibility/Chemical
Resistance

GR-49-CORE; GR-487-CORE;
GR-937- C160







Accredited Laboratory

A2LA has accredited

ELEMENT MATERIALS TECHNOLOGY DALLAS – PLANO WEST Plano, TX

for technical competence in the field of

Mechanical Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017



For the types of tests to which this accreditation applies, please refer to the laboratory's Mechanical Scope of Accreditation.